## D4817

Reg No.:\_

Name:

APJ ABDUL KALAM TECHNOLOGICAL UNIVERSITY FOURTH SEMESTER B.TECH DEGREE EXAMINATION, APRIL 20

**Course Code: ME206** 

Course Name: FLUID MACHINERY (ME)

Max. Marks: 100

Duration: 3 Hours

ages: 2

## PART A

<ul> <li>a) Prove that the maximum efficiency of a jet impinging on a series of moving flat (5) plate is 50%.</li> <li>b) Explain the constructional features of Pelton turbine. (5)</li> <li>a) Define the following: (4)</li> <li>i) Cross head ii) Net head iii) Hydraulic efficiency iv) Overall efficiency</li> <li>b) Derive the expression for maximum hydraulic efficiency of a Pelton wheel. (6)</li> <li>a) Explain the types and functions of draft tube. (4)</li> <li>b) Kaplan turbine works under a head of 26.5 m, the flow rate of waterbeing 170m3/s. The overall efficiency is 90%. Determine the power and specific speed. The turbine speed is 150 rpm.</li> <li>4 a) What are unit quantities as applied to hydraulic turbines? Why are they (4) important?</li> <li>b) In a draft tube arrangement for a reaction turbine the flow rate is 150m<sup>3</sup>/s. Inlet area of the draft tube is 15 m<sup>2</sup> while the outside area is 22.5 m<sup>2</sup>. The turbine runneroutlet or the draft tube is 80% determine the pressure head at turbine outlet.</li> <li>PART B</li> <li>Answer any three questions, each carries 10 marks</li> <li>5 Differentiate between forced and free vortex Give some examples of occurrence. Show how the velocity and pressure vary with radius in free and forced vortex flow.</li> <li>6 a) What is Euler head of a centrifugal pump impeller are 50 cm and2.5 cm. The pump runs at 1200 rpm. The suction head is 6 m and the delivery head is 40 m. The frictional drop in suction is 2 m and in the delivery 8 m. The blade angle at out let is 30°. The manometric efficiency is 80% and the overall efficiency is 75%. Determine the power required to drive the pump. Also calculate the pressures at the suction and delivery side of the pump.</li> <li>7 a) Explain in brief how and when separation take place in a reciprocating pump also (4) discuss the preventive measures to avoid that.</li> <li>b) The bore and stroke of a single acting reciprocating water pump are20 cm and 30 (6) cm. The suction pipe is of 15 cm diameter and 10 m long. The delivery pipe is 12</li></ul>			Answer any three questions, each carries 10 marks	Marks			
<ul> <li>b) Explain the constructional features of Pelton turbine. (5)</li> <li>a) Define the following: (4)</li> <li>i) Cross head ii) Net head iii) Hydraulic efficiency iv) Overall efficiency</li> <li>b) Derive the expression for maximum hydraulic efficiency of a Pelton wheel. (6)</li> <li>a) Explain the types and functions of draft tube. (4)</li> <li>b) Kaplan turbine works under a head of 26.5 m, the flow rate of waterbeing (170m3/s. The overall efficiency is 90%. Determine the power and specific speed. The turbine speed is 150 rpm.</li> <li>4) a) What are unit quantities as applied to hydraulic turbines? Why are they (4) important?</li> <li>b) In a draft tube arrangement for a reaction turbine the flow rate is 150m<sup>3</sup>/s. Inlet area of the draft tube is 15 m<sup>2</sup> while the outside area is 22.5 m<sup>2</sup>. The turbine runneroutlet or the draft tube is 0.5 m below the tailrace level. If the kinetic head recovered by thedraft tube is 80% determine the pressure head at turbine outlet. PART B</li> <li>Answer any three questions, each carries 10 marks</li> <li>5 Differentiate between forced and free vortex Give some examples of occurrence. (10) Show how the velocity and pressure vary with radius in free and forced vortex flow.</li> <li>6 a) What is Euler head of a centrifugal pump impeller are 50 cm and2.5 cm. The pump runs at 1200 rpm. The suction head is 6 m and the delivery head is 40 m. The frictional drop in suction is 2 m and in the delivery 8 m. The blade angle at out let is 30°. The manometric efficiency is 80% and the overall efficiency is 75%. Determine the power required to drive the pump. Also calculate the pressures at the suction and delivery side of the pump.</li> <li>7 a) Explain in brief how and when separation take place in a reciprocating pump also (4) discuss the preventive measures to avoid that.</li> <li>b) The bore and stroke of a single acting reciprocating water pump are20 cm and 30 (6) cm. The suction pipe is of 15 cm diameter and 10 m long. The delivery pipe is 12 cm diameter and 28 m long. The</li></ul>	1	a)	Prove that the maximum efficiency of a jet impinging on a series of moving flat plate is 50%.	(5)			
<ul> <li>2 a) Define the following: (4)</li> <li>i) Cross head ii) Net head iii) Hydraulic efficiency iv) Overall efficiency</li> <li>b) Derive the expression for maximum hydraulic efficiency of a Pelton wheel. (6)</li> <li>3 a) Explain the types and functions of draft tube. (4)</li> <li>b) Kaplan turbine works under a head of 26.5 m, the flow rate of waterbeing (6)</li> <li>170m3/s. The overall efficiency is 90%. Determine the power and specific speed. The turbine speed is 150 rpm.</li> <li>4 a) What are unit quantities as applied to hydraulic turbines? Why are they (4) important?</li> <li>b) In a draft tube arrangement for a reaction turbine the flow rate is 150m<sup>3</sup>/s. Inlet area of the draft tube is 15 m<sup>2</sup> while the outside area is 22.5 m<sup>2</sup>. The turbine runneroutlet or the draft tube is 80% determine the pressure head at turbine outlet.</li> <li>PART B</li> <li>Answer any three questions, each carries 10 marks</li> <li>5 Differentiate between forced and free vortex Give some examples of occurrence. (10)</li> <li>Show how the velocity and pressure vary with radius in free and forced vortex flow.</li> <li>6 a) What is Euler head of a centrifugal pump? (4)</li> <li>b) The diameter and width of a centrifugal pump impeller are 50 cm and 2.5 cm. The pump runs at 1200 rpm. The suction head is 6 m and the delivery head is 40 m. The frictional drop in suction is 2 m and in the delivery 8 m. The blade angle at out let is 30°. The manometric efficiency is 80% and the overall efficiency is 75%. Determine the power required to drive the pump. Also calculate the pressures at the suction and delivery side of the pump.</li> <li>7 a) Explain in brief how and when separation take place in a reciprocating pump also (4) discuss the preventive measures to avoid that.</li> <li>b) The bore and stroke of a single acting reciprocating water pump are20 cm and 30 (6) cm. The suction pipe is 15 cm diameter and 10 m long. The delivery pipe is 12 cm diameter and 28 m long. The nump is driven at 32 rpm. Determine the suctor pipe is 615</li></ul>		Explain the constructional features of Pelton turbine.	(5)				
<ul> <li>i) Cross head ii) Net head iii) Hydraulic efficiency iv) Overall efficiency</li> <li>b) Derive the expression for maximum hydraulic efficiency of a Pelton wheel.</li> <li>(6)</li> <li>(7) Derive the expression for maximum hydraulic efficiency of a Pelton wheel.</li> <li>(6)</li> <li>(7) Explain the types and functions of draft tube.</li> <li>(6)</li> <li>(7) Kaplan turbine works under a head of 26.5 m, the flow rate of waterbeing</li> <li>(7) Con3/s. The overall efficiency is 90%. Determine the power and specific speed. The turbine speed is 150 rpm.</li> <li>(6)</li> <li>(7) What are unit quantities as applied to hydraulic turbines? Why are they</li> <li>(4)</li> <li>(6) In a draft tube arrangement for a reaction turbine the flow rate is 150m<sup>3</sup>/s. Inlet</li> <li>(6) area of the draft tube is 15 m<sup>2</sup> while the outside area is 22.5 m<sup>2</sup>. The turbine runneroutlet or the draft tube inlet is 0.5 m below the tailrace level. If the kinetic head recovered by thedraft tube is 80% determine the pressure head at turbine outlet.</li> <li><b>PART B</b></li> <li>Answer any three questions, each carries 10 marks</li> <li>Differentiate between forced and free vortex Give some examples of occurrence. (10) Show how the velocity and pressure vary with radius in free and forced vortex flow.</li> <li>(4)</li> <li>(5) The diameter and width of a centrifugal pump?</li> <li>(4)</li> <li>(4) The diameter and width of a centrifugal pump impeller are 50 cm and 2.5 cm. The pump runs at 1200 rpm. The suction head is 6 m and the delivery head is 40 m. The frictional drop in suction is 2 m and in the delivery 8 m. The blade angle at out let is 30°. The manometric efficiency is 80% and the overall efficiency is 75%. Determine the power required to drive the pump. Also calculate the pressures at the suction and delivery side of the pump.</li> <li>7 a) Explain in brief how and when separation take place in a reciprocating pump also (discuss the preventive measures to avoid that.</li> <li>(6) The bore and stroke of a single acting reciproca</li></ul>	2	a)	Define the following:				
<ul> <li>b) Derive the expression for maximum hydraulic efficiency of a Pelton wheel. (6)</li> <li>a) Explain the types and functions of draft tube. (4)</li> <li>b) Kaplan turbine works under a head of 26.5 m, the flow rate of waterbeing 170m3/s. The overall efficiency is 90%. Determine the power and specific speed. The turbine speed is 150 rpm.</li> <li>a) What are unit quantities as applied to hydraulic turbines? Why are they (4) important?</li> <li>b) In a draft tube arrangement for a reaction turbine the flow rate is 150m<sup>3</sup>/s. Inlet area of the draft tube is 15 m<sup>2</sup> while the outside area is 22.5 m<sup>2</sup>. The turbine runneroutlet or the draft tube is 0.5 m below the tailrace level. If the kinetic head recovered by thedraft tube is 80% determine the pressure head at turbine outlet. PART B</li> <li>Answer any three questions, each carries 10 marks</li> <li>5 Differentiate between forced and free vortex Give some examples of occurrence. (10, Show how the velocity and pressure vary with radius in free and forced vortex flow.</li> <li>6 a) What is Euler head of a centrifugal pump? (4)</li> <li>b) The diameter and width of a centrifugal pump impeller are 50 cm and2.5 cm. The pump runs at 1200 rpm. The suction head is 6 m and the delivery head is 40 m. The frictional drop in suction is 2 m and in the delivery 8 m. The blade angle at out let is 30°. The manometric efficiency is 80% and the overall efficiency is 75%. Determine the power required to drive the pump. Also calculate the pressures at the suction and delivery side of the pump.</li> <li>7 a) Explain in brief how and when separation take place in a reciprocating pump also discuss the preventive measures to avoid that.</li> <li>b) The bore and stroke of a single acting reciprocating water pump are20 cm and 30 (6) cm. The suction pipe is of 15 cm diameter and 10 m long. The delivery pipe is 12 cm diameter and 28 m long. The number is driven at 32 rpm. Determine the divery pipe is 12 cm diameter and 22 m long. The nump is driven at 32 rpm.</li> </ul>			i) Cross head ii) Net head iii) Hydraulic efficiency iv) Overall efficiency				
<ul> <li>3 a) Explain the types and functions of draft tube. (4)</li> <li>b) Kaplan turbine works under a head of 26.5 m, the flow rate of waterbeing 170m3/s. The overall efficiency is 90%. Determine the power and specific speed. The turbine speed is 150 rpm.</li> <li>a) What are unit quantities as applied to hydraulic turbines? Why are they (4) important?</li> <li>b) In a draft tube arrangement for a reaction turbine the flow rate is 150m<sup>3</sup>/s. Inlet (6) area of the draft tube is 15 m<sup>2</sup> while the outside area is 22.5 m<sup>2</sup>. The turbine runneroutlet or the draft tube inlet is 0.5 m below the tailrace level. If the kinetic head recovered by thedraft tube is 80% determine the pressure head at turbine outlet. PART B</li> <li>Differentiate between forced and free vortex Give some examples of occurrence. (10) Show how the velocity and pressure vary with radius in free and forced vortex flow.</li> <li>6 a) What is Euler head of a centrifugal pump? (4)</li> <li>b) The diameter and width of a centrifugal pump impeller are 50 cm and 2.5 cm. The pump runs at 1200 rpm. The suction head is 6 m and the delivery head is 40 m. The frictional drop in suction is 2 m and in the delivery 8 m. The blade angle at out let is 30°. The manometric efficiency is 80% and the overall efficiency is 75%. Determine the power required to drive the pump. Also calculate the pressures at the suction and delivery side of the pump.</li> <li>7 a) Explain in brief how and when separation take place in a reciprocating pump also (6) cm. The suction pipe is of 15 cm diameter and 10 m long. The delivery pipe is 12 cm diameter and 2.5 cm and 30 cm. The suction pipe is 0.5 cm the pump.</li> </ul>		<b>b</b> )	Derive the expression for maximum hydraulic efficiency of a Pelton wheel.	(6)			
<ul> <li>b) Kaplan turbine works under a head of 26.5 m, the flow rate of waterbeing (6) 170m3/s. The overall efficiency is 90%. Determine the power and specific speed. The turbine speed is 150 rpm.</li> <li>a) What are unit quantities as applied to hydraulic turbines? Why are they (4) important?</li> <li>b) In a draft tube arrangement for a reaction turbine the flow rate is 150m<sup>3</sup>/s. Inlet area of the draft tube is 15 m<sup>2</sup> while the outside area is 22.5 m<sup>2</sup>. The turbine runneroutlet or the draft tube is 0.5 m below the tailrace level. If the kinetic head recovered by thedraft tube is 80% determine the pressure head at turbine outlet.</li> <li>PART B</li> <li>Answer any three questions, each carries 10 marks</li> <li>5 Differentiate between forced and free vortex Give some examples of occurrence. (10 Show how the velocity and pressure vary with radius in free and forced vortex flow.</li> <li>6 a) What is Euler head of a centrifugal pump? (4)</li> <li>b) The diameter and width of a centrifugal pump impeller are 50 cm and2.5 cm. The pump runs at 1200 rpm. The suction head is 6 m and the delivery head is 40 m. The frictional drop in suction is 2 m and in the delivery 8 m. The blade angle at out let is 30°. The manometric efficiency is 80% and the overall efficiency is 75%. Determine the power required to drive the pump. Also calculate the pressures at the suction and delivery side of the pump.</li> <li>7 a) Explain in brief how and when separation take place in a reciprocating pump also (4) discuss the preventive measures to avoid that.</li> <li>b) The bore and stroke of a single acting reciprocating water pump are20 cm and 30 cm. The suction pipe is of 15 cm diameter and 10 m long. The delivery pipe is 12 cm diameter and 28 m long. The nump is driven at 32 rpm. Determine the</li> </ul>	3	a)	Explain the types and functions of draft tube.				
<ul> <li>170m3/s. The overall efficiency is 90%. Determine the power and specific speed. The turbine speed is 150 rpm.</li> <li>a) What are unit quantities as applied to hydraulic turbines? Why are they (4) important?</li> <li>b) In a draft tube arrangement for a reaction turbine the flow rate is 150m<sup>3</sup>/s. Inlet area of the draft tube is 15 m<sup>2</sup> while the outside area is 22.5 m<sup>2</sup>. The turbine runneroutlet or the draft tube is 0.5 m below the tailrace level. If the kinetic head recovered by thedraft tube is 80% determine the pressure head at turbine outlet.</li> <li>PART B Answer any three questions, each carries 10 marks 5 Differentiate between forced and free vortex Give some examples of occurrence. (10 Show how the velocity and pressure vary with radius in free and forced vortex flow. 6 a) What is Euler head of a centrifugal pump? (4) b) The diameter and width of a centrifugal pump impeller are 50 cm and2.5 cm. The pump runs at 1200 rpm. The suction head is 6 m and the delivery head is 40 m. The frictional drop in suction is 2 m and in the delivery 8 m. The blade angle at out let is 30°. The manometric efficiency is 80% and the overall efficiency is 75%. Determine the power required to drive the pump. Also calculate the pressures at the suction and delivery side of the pump. 7 a) Explain in brief how and when separation take place in a reciprocating pump also discuss the preventive measures to avoid that. b) The bore and stroke of a single acting reciprocating water pump are20 cm and 30 cm. The suction pipe is of 15 cm diameter and 10 m long. The delivery pipe is 12 cm diameter and 28 m long. The pump is driven at 32 rpm. Determine the</li></ul>		b)	Kaplan turbine works under a head of 26.5 m, the flow rate of waterbeing	(6)			
<ul> <li>The turbine speed is 150 rpm.</li> <li>4 a) What are unit quantities as applied to hydraulic turbines? Why are they (4) important?</li> <li>b) In a draft tube arrangement for a reaction turbine the flow rate is 150m<sup>3</sup>/s. Inlet (6) area of the draft tube is 15 m<sup>2</sup> while the outside area is 22.5 m<sup>2</sup>. The turbine runneroutlet or the draft tube inlet is 0.5 m below the tailrace level. If the kinetic head recovered by thedraft tube is 80% determine the pressure head at turbine outlet.</li> <li>PART B Answer any three questions, each carries 10 marks</li> <li>5 Differentiate between forced and free vortex Give some examples of occurrence. (10 Show how the velocity and pressure vary with radius in free and forced vortex flow.</li> <li>6 a) What is Euler head of a centrifugal pump? (4)</li> <li>b) The diameter and width of a centrifugal pump impeller are 50 cm and 2.5 cm. The pump runs at 1200 rpm. The suction head is 6 m and the delivery head is 40 m. The frictional drop in suction is 2 m and in the delivery 8 m. The blade angle at out let is 30°. The manometric efficiency is 80% and the overall efficiency is 75%. Determine the power required to drive the pump. Also calculate the pressures at the suction and delivery side of the pump.</li> <li>7 a) Explain in brief how and when separation take place in a reciprocating pump also (4) discuss the preventive measures to avoid that.</li> <li>b) The bore and stroke of a single acting reciprocating water pump are20 cm and 30 (6) cm. The suction pipe is of 15 cm diameter and 10 m long. The delivery pipe is 12 cm diameter and 28 m long. The pump is driven at 32 rpm. Determine the power many the pump is driven at 32 rpm. Determine the power measures to avoid that.</li> </ul>			170m3/s. The overall efficiency is 90%. Determine the power and specific speed.				
<ul> <li>4 a) What are unit quantities as applied to hydraulic turbines? Why are they (4) important?</li> <li>b) In a draft tube arrangement for a reaction turbine the flow rate is 150m<sup>3</sup>/s. Inlet (6) area of the draft tube is 15 m<sup>2</sup> while the outside area is 22.5 m<sup>2</sup>. The turbine runneroutlet or the draft tube inlet is 0.5 m below the tailrace level. If the kinetic head recovered by thedraft tube is 80% determine the pressure head at turbine outlet.</li> <li>PART B Answer any three questions, each carries 10 marks 5 Differentiate between forced and free vortex Give some examples of occurrence. (10, Show how the velocity and pressure vary with radius in free and forced vortex flow. 6 a) What is Euler head of a centrifugal pump? (4) b) The diameter and width of a centrifugal pump impeller are 50 cm and 2.5 cm. The pump runs at 1200 rpm. The suction head is 6 m and the delivery head is 40 m. The frictional drop in suction is 2 m and in the delivery 8 m. The blade angle at out let is 30°. The manometric efficiency is 80% and the overall efficiency is 75%. Determine the power required to drive the pump. Also calculate the pressures at the suction and delivery side of the pump. 7 a) Explain in brief how and when separation take place in a reciprocating pump also (4) discuss the preventive measures to avoid that. b) The bore and stroke of a single acting reciprocating water pump are20 cm and 30 (6) cm. The suction pipe is of 15 cm diameter and 10 m long. The delivery pipe is 12 cm diameter and 28 m long. The pump is driven at 32 rpm. Determine the power is preventive measures to avoid that. </li> </ul>			The turbine speed is 150 rpm.				
<ul> <li>important?</li> <li>b) In a draft tube arrangement for a reaction turbine the flow rate is 150m<sup>3</sup>/s. Inlet (6) area of the draft tube is 15 m<sup>2</sup> while the outside area is 22.5 m<sup>2</sup>. The turbine runneroutlet or the draft tube inlet is 0.5 m below the tailrace level. If the kinetic head recovered by thedraft tube is 80% determine the pressure head at turbine outlet.</li> <li>PART B Answer any three questions, each carries 10 marks 5 Differentiate between forced and free vortex Give some examples of occurrence. (10 Show how the velocity and pressure vary with radius in free and forced vortex flow. 6 a) What is Euler head of a centrifugal pump? (4) b) The diameter and width of a centrifugal pump impeller are 50 cm and 2.5 cm. The pump runs at 1200 rpm. The suction head is 6 m and the delivery head is 40 m. The frictional drop in suction is 2 m and in the delivery 8 m. The blade angle at out let is 30°. The manometric efficiency is 80% and the overall efficiency is 75%. Determine the power required to drive the pump. Also calculate the pressures at the suction and delivery side of the pump. 7 a) Explain in brief how and when separation take place in a reciprocating pump also (4) discuss the preventive measures to avoid that. b) The bore and stroke of a single acting reciprocating water pump are20 cm and 30 cm. The suction pipe is of 15 cm diameter and 10 m long. The delivery pipe is 12 cm diameter and 28 m long. The nump is driven at 32 rpm. Determine the</li></ul>	4	a)	What are unit quantities as applied to hydraulic turbines? Why are they	(4)			
<ul> <li>b) In a draft tube arrangement for a reaction turbine the flow rate is 150m<sup>3</sup>/s. Inlet (6) area of the draft tube is 15 m<sup>2</sup> while the outside area is 22.5 m<sup>2</sup>. The turbine runneroutlet or the draft tube inlet is 0.5 m below the tailrace level. If the kinetic head recovered by thedraft tube is 80% determine the pressure head at turbine outlet.</li> <li>PART B Answer any three questions, each carries 10 marks 5 Differentiate between forced and free vortex Give some examples of occurrence. (10 Show how the velocity and pressure vary with radius in free and forced vortex flow. 6 a) What is Euler head of a centrifugal pump? (4) b) The diameter and width of a centrifugal pump impeller are 50 cm and2.5 cm. The pump runs at 1200 rpm. The suction head is 6 m and the delivery head is 40 m. The frictional drop in suction is 2 m and in the delivery 8 m. The blade angle at out let is 30°. The manometric efficiency is 80% and the overall efficiency is 75%. Determine the power required to drive the pump. Also calculate the pressures at the suction and delivery side of the pump. 7 a) Explain in brief how and when separation take place in a reciprocating pump also (4) discuss the preventive measures to avoid that. b) The bore and stroke of a single acting reciprocating water pump are20 cm and 30 (6) cm. The suction pipe is 015 cm diameter and 10 m long. The delivery pipe is 12 cm diameter and 28 m long. The pump at 32 rm. Determine the</li></ul>			important?				
<ul> <li>area of the draft tube is 15 m<sup>2</sup> while the outside area is 22.5 m<sup>2</sup>. The turbine runneroutlet or the draft tube inlet is 0.5 m below the tailrace level. If the kinetic head recovered by thedraft tube is 80% determine the pressure head at turbine outlet.</li> <li>PART B Answer any three questions, each carries 10 marks </li> <li>Differentiate between forced and free vortex Give some examples of occurrence. (10 Show how the velocity and pressure vary with radius in free and forced vortex flow. </li> <li>6 a) What is Euler head of a centrifugal pump? (4)</li> <li>b) The diameter and width of a centrifugal pump impeller are 50 cm and2.5 cm. The pump runs at 1200 rpm. The suction head is 6 m and the delivery head is 40 m. The frictional drop in suction is 2 m and in the delivery 8 m. The blade angle at out let is 30°. The manometric efficiency is 80% and the overall efficiency is 75%. Determine the power required to drive the pump. Also calculate the pressures at the suction and delivery side of the pump. </li> <li>7 a) Explain in brief how and when separation take place in a reciprocating pump also (4) discuss the preventive measures to avoid that.</li> <li>b) The bore and stroke of a single acting reciprocating water pump are20 cm and 30 (6) cm. The suction pipe is 015 cm diameter and 10 m long. The delivery pipe is 12 cm diameter and 28 m long. The pump at 32 rpm. Determine the</li></ul>		b)	In a draft tube arrangement for a reaction turbine the flow rate is $150m^3/s$ . Inlet	(6)			
<ul> <li>runneroutlet or the draft tube inlet is 0.5 m below the tailrace level. If the kinetic head recovered by thedraft tube is 80% determine the pressure head at turbine outlet.</li> <li><b>PART B</b> Answer any three questions, each carries 10 marks </li> <li>5 Differentiate between forced and free vortex Give some examples of occurrence. (10 Show how the velocity and pressure vary with radius in free and forced vortex flow. <ul> <li>6 a) What is Euler head of a centrifugal pump? (4)</li> <li>b) The diameter and width of a centrifugal pump impeller are 50 cm and 2.5 cm. The pump runs at 1200 rpm. The suction head is 6 m and the delivery head is 40 m. The frictional drop in suction is 2 m and in the delivery 8 m. The blade angle at out let is 30°. The manometric efficiency is 80% and the overall efficiency is 75%. Determine the power required to drive the pump. Also calculate the pressures at the suction and delivery side of the pump. </li> <li>7 a) Explain in brief how and when separation take place in a reciprocating pump also (4) discuss the preventive measures to avoid that.</li> <li>b) The bore and stroke of a single acting reciprocating water pump are20 cm and 30 (6) cm. The suction pipe is of 15 cm diameter and 10 m long. The delivery pipe is 12 cm diameter and 28 m long. The pump is driven at 32 rpm. Determine the</li></ul></li></ul>			area of the draft tube is $15 \text{ m}^2$ while the outside area is $22.5 \text{ m}^2$ . The turbine				
<ul> <li>head recovered by thedraft tube is 80% determine the pressure head at turbine outlet.</li> <li>PART B</li> <li>Answer any three questions, each carries 10 marks</li> <li>5 Differentiate between forced and free vortex Give some examples of occurrence. (10 Show how the velocity and pressure vary with radius in free and forced vortex flow.</li> <li>6 a) What is Euler head of a centrifugal pump? (4)</li> <li>b) The diameter and width of a centrifugal pump impeller are 50 cm and 2.5 cm. The (6) pump runs at 1200 rpm. The suction head is 6 m and the delivery head is 40 m. The frictional drop in suction is 2 m and in the delivery 8 m. The blade angle at out let is 30°. The manometric efficiency is 80% and the overall efficiency is 75%. Determine the power required to drive the pump. Also calculate the pressures at the suction and delivery side of the pump.</li> <li>7 a) Explain in brief how and when separation take place in a reciprocating pump also (4) discuss the preventive measures to avoid that.</li> <li>b) The bore and stroke of a single acting reciprocating water pump are20 cm and 30 (6) cm. The suction pipe is of 15 cm diameter and 10 m long. The delivery pipe is 12 cm diameter and 28 m long. The pump is driven at 32 mm. Determine the</li> </ul>			runneroutlet or the draft tube inlet is 0.5 m below the tailrace level. If the kinetic				
<ul> <li>outlet.</li> <li>PART B</li> <li>Answer any three questions, each carries 10 marks</li> <li>5 Differentiate between forced and free vortex Give some examples of occurrence. (10 Show how the velocity and pressure vary with radius in free and forced vortex flow.</li> <li>6 a) What is Euler head of a centrifugal pump? (4)</li> <li>b) The diameter and width of a centrifugal pump impeller are 50 cm and 2.5 cm. The pump runs at 1200 rpm. The suction head is 6 m and the delivery head is 40 m. The frictional drop in suction is 2 m and in the delivery 8 m. The blade angle at out let is 30°. The manometric efficiency is 80% and the overall efficiency is 75%. Determine the power required to drive the pump. Also calculate the pressures at the suction and delivery side of the pump.</li> <li>7 a) Explain in brief how and when separation take place in a reciprocating pump also (4) discuss the preventive measures to avoid that.</li> <li>b) The bore and stroke of a single acting reciprocating water pump are20 cm and 30 (6) cm. The suction pipe is of 15 cm diameter and 10 m long. The delivery pipe is 12 cm diameter and 28 m long. The pump is driven at 32 rpm. Determine the</li> </ul>			head recovered by thedraft tube is 80% determine the pressure head at turbine				
<ul> <li>PART B</li> <li>Answer any three questions, each carries 10 marks</li> <li>5 Differentiate between forced and free vortex Give some examples of occurrence. (10, Show how the velocity and pressure vary with radius in free and forced vortex flow.</li> <li>6 a) What is Euler head of a centrifugal pump? (4)</li> <li>b) The diameter and width of a centrifugal pump impeller are 50 cm and 2.5 cm. The pump runs at 1200 rpm. The suction head is 6 m and the delivery head is 40 m. The frictional drop in suction is 2 m and in the delivery 8 m. The blade angle at out let is 30°. The manometric efficiency is 80% and the overall efficiency is 75%. Determine the power required to drive the pump. Also calculate the pressures at the suction and delivery side of the pump.</li> <li>7 a) Explain in brief how and when separation take place in a reciprocating pump also (4) discuss the preventive measures to avoid that.</li> <li>b) The bore and stroke of a single acting reciprocating water pump are20 cm and 30 (6) cm. The suction pipe is of 15 cm diameter and 10 m long. The delivery pipe is 12 cm diameter and 28 m long. The pump is driven at 32 rpm. Determine the</li> </ul>			outlet.				
<ul> <li>Answer any three questions, each carries 10 marks</li> <li>5 Differentiate between forced and free vortex Give some examples of occurrence. (10 Show how the velocity and pressure vary with radius in free and forced vortex flow.</li> <li>6 a) What is Euler head of a centrifugal pump? (4)</li> <li>b) The diameter and width of a centrifugal pump impeller are 50 cm and 2.5 cm. The (6) pump runs at 1200 rpm. The suction head is 6 m and the delivery head is 40 m. The frictional drop in suction is 2 m and in the delivery 8 m. The blade angle at out let is 30°. The manometric efficiency is 80% and the overall efficiency is 75%. Determine the power required to drive the pump. Also calculate the pressures at the suction and delivery side of the pump.</li> <li>7 a) Explain in brief how and when separation take place in a reciprocating pump also (4) discuss the preventive measures to avoid that.</li> <li>b) The bore and stroke of a single acting reciprocating water pump are20 cm and 30 (6) cm. The suction pipe is of 15 cm diameter and 10 m long. The delivery pipe is 12 cm diameter and 28 m long. The pump is driven at 32 rpm. Determine the</li> </ul>			PART B				
<ul> <li>5 Differentiate between forced and free vortex Give some examples of occurrence. (10 Show how the velocity and pressure vary with radius in free and forced vortex flow.</li> <li>6 a) What is Euler head of a centrifugal pump? (4)</li> <li>b) The diameter and width of a centrifugal pump impeller are 50 cm and 2.5 cm. The (6) pump runs at 1200 rpm. The suction head is 6 m and the delivery head is 40 m. The frictional drop in suction is 2 m and in the delivery 8 m. The blade angle at out let is 30°. The manometric efficiency is 80% and the overall efficiency is 75%. Determine the power required to drive the pump. Also calculate the pressures at the suction and delivery side of the pump.</li> <li>7 a) Explain in brief how and when separation take place in a reciprocating pump also (4) discuss the preventive measures to avoid that.</li> <li>b) The bore and stroke of a single acting reciprocating water pump are20 cm and 30 (6) cm. The suction pipe is of 15 cm diameter and 10 m long. The delivery pipe is 12 cm diameter and 28 m long. The pump is driven at 32 rpm. Determine the</li> </ul>	Answer any three questions, each carries 10 marks						
<ul> <li>Show how the velocity and pressure vary with radius in free and forced vortex flow.</li> <li>a) What is Euler head of a centrifugal pump? (4)</li> <li>b) The diameter and width of a centrifugal pump impeller are 50 cm and 2.5 cm. The (6) pump runs at 1200 rpm. The suction head is 6 m and the delivery head is 40 m. The frictional drop in suction is 2 m and in the delivery 8 m. The blade angle at out let is 30°. The manometric efficiency is 80% and the overall efficiency is 75%. Determine the power required to drive the pump. Also calculate the pressures at the suction and delivery side of the pump.</li> <li>7 a) Explain in brief how and when separation take place in a reciprocating pump also (4) discuss the preventive measures to avoid that.</li> <li>b) The bore and stroke of a single acting reciprocating water pump are20 cm and 30 (6) cm. The suction pipe is of 15 cm diameter and 10 m long. The delivery pipe is 12 cm diameter and 28 m long. The pump is driven at 32 rpm. Determine the</li> </ul>	5		Differentiate between forced and free vortex Give some examples of occurrence.	(10)			
<ul> <li>flow.</li> <li>a) What is Euler head of a centrifugal pump? (4)</li> <li>b) The diameter and width of a centrifugal pump impeller are 50 cm and 2.5 cm. The (6) pump runs at 1200 rpm. The suction head is 6 m and the delivery head is 40 m. The frictional drop in suction is 2 m and in the delivery 8 m. The blade angle at out let is 30°. The manometric efficiency is 80% and the overall efficiency is 75%. Determine the power required to drive the pump. Also calculate the pressures at the suction and delivery side of the pump.</li> <li>7 a) Explain in brief how and when separation take place in a reciprocating pump also (4) discuss the preventive measures to avoid that.</li> <li>b) The bore and stroke of a single acting reciprocating water pump are20 cm and 30 (6) cm. The suction pipe is of 15 cm diameter and 10 m long. The delivery pipe is 12 cm diameter and 28 m long. The pump is driven at 32 rpm. Determine the</li> </ul>			Show how the velocity and pressure vary with radius in free and forced vortex				
<ul> <li>6 a) What is Euler head of a centrifugal pump? (4)</li> <li>b) The diameter and width of a centrifugal pump impeller are 50 cm and 2.5 cm. The (6) pump runs at 1200 rpm. The suction head is 6 m and the delivery head is 40 m. The frictional drop in suction is 2 m and in the delivery 8 m. The blade angle at out let is 30°. The manometric efficiency is 80% and the overall efficiency is 75%. Determine the power required to drive the pump. Also calculate the pressures at the suction and delivery side of the pump.</li> <li>7 a) Explain in brief how and when separation take place in a reciprocating pump also (4) discuss the preventive measures to avoid that.</li> <li>b) The bore and stroke of a single acting reciprocating water pump are20 cm and 30 (6) cm. The suction pipe is of 15 cm diameter and 10 m long. The delivery pipe is 12 cm diameter and 28 m long. The nump is driven at 32 rpm. Determine the</li> </ul>			flow.				
<ul> <li>b) The diameter and width of a centrifugal pump impeller are 50 cm and 2.5 cm. The (6) pump runs at 1200 rpm. The suction head is 6 m and the delivery head is 40 m. The frictional drop in suction is 2 m and in the delivery 8 m. The blade angle at out let is 30°. The manometric efficiency is 80% and the overall efficiency is 75%. Determine the power required to drive the pump. Also calculate the pressures at the suction and delivery side of the pump.</li> <li>7 a) Explain in brief how and when separation take place in a reciprocating pump also (4) discuss the preventive measures to avoid that.</li> <li>b) The bore and stroke of a single acting reciprocating water pump are20 cm and 30 (6) cm. The suction pipe is of 15 cm diameter and 10 m long. The delivery pipe is 12 cm diameter and 28 m long. The pump is driven at 32 rpm. Determine the</li> </ul>	6	a)	What is Euler head of a centrifugal pump?	(4)			
<ul> <li>pump runs at 1200 rpm. The suction head is 6 m and the delivery head is 40 m. The frictional drop in suction is 2 m and in the delivery 8 m. The blade angle at out let is 30°. The manometric efficiency is 80% and the overall efficiency is 75%. Determine the power required to drive the pump. Also calculate the pressures at the suction and delivery side of the pump.</li> <li>7 a) Explain in brief how and when separation take place in a reciprocating pump also (4) discuss the preventive measures to avoid that.</li> <li>b) The bore and stroke of a single acting reciprocating water pump are20 cm and 30 (6) cm. The suction pipe is of 15 cm diameter and 10 m long. The delivery pipe is 12 cm diameter and 28 m long. The pump is driven at 32 rpm. Determine the</li> </ul>		b)	The diameter and width of a centrifugal pump impeller are 50 cm and 2.5 cm. The	(6)			
<ul> <li>The frictional drop in suction is 2 m and in the delivery 8 m. The blade angle at out let is 30°. The manometric efficiency is 80% and the overall efficiency is 75%. Determine the power required to drive the pump. Also calculate the pressures at the suction and delivery side of the pump.</li> <li>7 a) Explain in brief how and when separation take place in a reciprocating pump also (4) discuss the preventive measures to avoid that.</li> <li>b) The bore and stroke of a single acting reciprocating water pump are20 cm and 30 (6) cm. The suction pipe is of 15 cm diameter and 10 m long. The delivery pipe is 12 cm diameter and 28 m long. The pump is driven at 32 rpm. Determine the</li> </ul>			pump runs at 1200 rpm. The suction head is 6 m and the delivery head is 40 m.				
<ul> <li>out let is 30°. The manometric efficiency is 80% and the overall efficiency is 75%. Determine the power required to drive the pump. Also calculate the pressures at the suction and delivery side of the pump.</li> <li>7 a) Explain in brief how and when separation take place in a reciprocating pump also (4) discuss the preventive measures to avoid that.</li> <li>b) The bore and stroke of a single acting reciprocating water pump are20 cm and 30 (6) cm. The suction pipe is of 15 cm diameter and 10 m long. The delivery pipe is 12 cm diameter and 28 m long. The pump is driven at 32 rpm. Determine the</li> </ul>			The frictional drop in suction is 2 m and in the delivery 8 m. The blade angle at				
<ul> <li>75%. Determine the power required to drive the pump. Also calculate the pressures at the suction and delivery side of the pump.</li> <li>7 a) Explain in brief how and when separation take place in a reciprocating pump also (4) discuss the preventive measures to avoid that.</li> <li>b) The bore and stroke of a single acting reciprocating water pump are20 cm and 30 (6) cm. The suction pipe is of 15 cm diameter and 10 m long. The delivery pipe is 12 cm diameter and 28 m long. The pump is driven at 32 rpm. Determine the</li> </ul>			out let is 30°. The manometric efficiency is 80% and the overall efficiency is				
<ul> <li>pressures at the suction and delivery side of the pump.</li> <li>7 a) Explain in brief how and when separation take place in a reciprocating pump also (4) discuss the preventive measures to avoid that.</li> <li>b) The bore and stroke of a single acting reciprocating water pump are20 cm and 30 (6) cm. The suction pipe is of 15 cm diameter and 10 m long. The delivery pipe is 12 cm diameter and 28 m long. The pump is driven at 32 rpm. Determine the</li> </ul>			75%. Determine the power required to drive the pump. Also calculate the				
<ul> <li>7 a) Explain in brief how and when separation take place in a reciprocating pump also (4) discuss the preventive measures to avoid that.</li> <li>b) The bore and stroke of a single acting reciprocating water pump are20 cm and 30 (6) cm. The suction pipe is of 15 cm diameter and 10 m long. The delivery pipe is 12 cm diameter and 28 m long. The nump is driven at 32 rpm. Determine the</li> </ul>			pressures at the suction and delivery side of the pump.				
<ul> <li>discuss the preventive measures to avoid that.</li> <li>b) The bore and stroke of a single acting reciprocating water pump are20 cm and 30 (6) cm. The suction pipe is of 15 cm diameter and 10 m long. The delivery pipe is 12 cm diameter and 28 m long. The pump is driven at 32 rpm. Determine the</li> </ul>	7	a)	Explain in brief how and when separation take place in a reciprocating pump also	(4)			
<ul> <li>b) The bore and stroke of a single acting reciprocating water pump are20 cm and 30 (6) cm. The suction pipe is of 15 cm diameter and 10 m long. The delivery pipe is 12 cm diameter and 28 m long. The pump is driven at 32 rpm. Determine the</li> </ul>			discuss the preventive measures to avoid that.				
cm. The suction pipe is of 15 cm diameter and 10 m long. The delivery pipe is 12 cm diameter and 28 m long. The nump is driven at 32 rpm. Determine the		b)	The bore and stroke of a single acting reciprocating water pump are20 cm and 30	(6)			
cm diameter and 28 m long. The nump is driven at 32 rpm. Determine the			cm. The suction pipe is of 15 cm diameter and 10 m long. The delivery pipe is 12				
on dameter and 20 in long. The pump is driven at 52 ipm. Determine the			cm diameter and 28 m long. The pump is driven at 32 rpm. Determine the				

(4)

(6)

accelerationheads and the friction head, f = 0.02. Sketch the indicator diagram. The suction and deliveryheads from atmosphere are 4 m and 16 m respectively.

- a) What is an air vessel? Describeits functions.
- b) Show that in a double acting pump the work saved by fitting air vessels is about (6) 39.2%.

## PART C

## Answer any three questions, each carries 10 marks

- 9 a) What is clearance ratio? Write the effect of clearance volume on the performance (4) of an air compressor.
  - b) Derive the volumetric efficiency of a reciprocating compressor considering (6) clearance volume.
- 10

A single acting reciprocating compressor has bore of 25cm and a stroke of 35cm. (10) The compressor runs at 650rpm. The clearance volume is 4% of swept volume. The index of expansion and compression is 1.3. The suction conditions are 0.95 bar and 25°C. The delivery pressure is 6 bar. The atmospheric pressure and temperature are 1.013 bar and 20°C. Determine:

i) FAD ii) Volumetric efficiency iii) Indicated power input.

- 11 Derive the condition for minimum work required for a 2-stage reciprocating air (10) compressor.
- 12 Explain the principle of operation, construction and working of a centrifugal (10) compressor with necessary sketches.
- 13 A centrifugal compressor running at 1500rpm has internal and external diameters (10) of the impellers are 250mm and 500mm respectively the air enters the impeller radially. Determine the work done by the compressor per kg of air and degrees of reaction.

14	a)	Explain the working of diffuser in	a centrifugal compressor.	(4)

b) Explain the working of roots blower.

\*\*\*\*

8