

Reg No.: _____

Name: _____



APJ ABDUL KALAM TECHNOLOGICAL UNIVERSITY
FIFTH SEMESTER B.TECH DEGREE EXAMINATION(R&S), DECEMBER 2019

Course Code: CS301

Course Name: THEORY OF COMPUTATION


Max. Marks: 100

Duration: 3 Hours

PART A

Answer all questions, each carries 3 marks.

- | | | |
|---|--|---|
| 1 | Define nondeterministic finite automata(NFA). Draw the NFA for the language $L=\{a^n b^m \mid n, m \geq 1\}$ | 3 |
| 2 | Convert the following NFA to DFA. | 3 |



- | | | |
|---|---|---|
| 3 | Write regular expression for the language $L=\{1^n 0^m \mid n \geq 1, m \geq 0\}$ | 3 |
| 4 | Differentiate Moore machine from Mealy machine. Write the tuple representation for both machines. | 3 |

PART B


Answer any two full questions, each carries 9 marks.

- | | | |
|---|---|---|
| 5 | a) Write the notation for the language defined by a DFA. Write a string belong to the language L^3 if $L=\{0,1\}$ | 3 |
| | b) Construct NFA without ϵ – transitions from the following NFA. $M=(\{q_0, q_1, q_2\}, \{a, b, c\}, \delta, q_0, \{q_2\})$ and $\delta(q_0, a) = \{q_0\}, \delta(q_0, b) = \{q_1\}, \delta(q_0, c) = \{q_2\}$
$\delta(q_1, \epsilon) = \{q_0\}, \delta(q_1, a) = \{q_1\}, \delta(q_1, b) = \{q_2\},$
$\delta(q_2, \epsilon) = \{q_1\}, \delta(q_2, a) = \{q_2\}, \delta(q_2, c) = \{q_0\}.$ | 6 |
| 6 | a) State Myhill-Nerode Theorem. | 3 |
| | b) Minimize the following DFA. | 6 |

δ	a	b
\rightarrow P0	P0	P1
P1	P2	P1
P2	P3	P1
*P3	P3	P4
*P4	P5	P4

*P5	P3	P4
-----	----	----

- 7 a) Construct regular expression corresponding to the following state diagram: 4.5



- b) Design an ϵ -NFA for the regular expression $(0+1)^*01$ 4.5

PART C

Answer all questions, each carries 3 marks.

- 8 Write the conditions for a pushdown automaton to be considered as deterministic. 3
- 9 Which are the methods to accept a string in a PDA? Whether both type of PDAs can define the same language. Justify your answer. 3
- 10 Convert the following grammar to Chomsky Normal Form. 3
 $S \rightarrow 0S0 \mid 1S1 \mid \epsilon$
- 11 Whether the following grammar is ambiguous? 3
 $E \rightarrow E+E \mid E * E \mid I$
 $I \rightarrow 0 \mid 1 \mid a \mid b$

PART D

Answer any two full questions, each carries 9 marks.

- 12 a) Verify that the following languages is not regular: 4.5
 $\{a^n b^{2n} \mid n > 0\}$
- b) Which of the following operations are closed under regular sets. Justify your answer. 4.5
 i) Complementation ii) Set difference iii) string reversal iv) Intersection
- 13 a) Give a CFG for the language $N(M)$ where $M = (\{p, q, r\}, \{0, 1\}, \{Z, X_0\}, \delta, q_0, Z, r)$ and δ is given by $\delta(p, \epsilon, X_0) = \{(q, ZX_0)\}$, $\delta(q, \epsilon, X_0) = \{(r, \epsilon)\}$, $\delta(q, 1, Z) = \{(q, ZZ)\}$, $\delta(q, 0, Z) = \{(q, \epsilon)\}$. 4.5
- b) Find the Greibach normal form grammar equivalent to the following CFG: 4.5
 $S \rightarrow AB$
 $A \rightarrow BS \mid 1$
 $B \rightarrow SA \mid 0$
- 14 a) Design a PDA to accept the language $\{0^{2n}1^n \mid n \geq 1\}$. 4.5
- b) Find a CFG without ϵ -productions equivalent to the grammar defined by 4.5
 $S \rightarrow ABaC, A \rightarrow BC, B \rightarrow b/\epsilon, C \rightarrow D/\epsilon, D \rightarrow d$

PART E

Answer any four full questions, each carries 10 marks.

- 15 a) State Pumping lemma for CFLs. Write the applications of pumping lemma for CFL s. 4
- b) Check whether $L = \{a^i b^j c^k \mid i > 0\}$ belong to CFL or not. 6
- 16 a) Discuss about Multitape Turing Machines. Explain informally how they can 5

- simulate the moves of a Turing Machine
- 17 b) Write a note on Universal Turing machines. 5
a) How to identify deterministic Turing machine from nondeterministic TM 3
b) Write notes on the following: 7
i) decidable and undecidable problems
ii) Halting Problem of Turing machine.
- 18 a) Write the properties of recursive languages and recursively enumerable languages. 3
b) Write the Chomsky hierarchy of languages. Prepare a table indicating the automata and grammars for the languages in the Chomsky Hierarchy. 7
- 19 a) Define Turing machine [Write the tuple representation for TM]. 5
b) Design a Turing machine to identify the strings belong to the language $L = \{0^n 1^n \mid n > 0\}$. 5
- 20 Design the Turing machine to recognize the language: $\{0^n 1^n 0^n \mid n \geq 1\}$. 10
