0400CST466052302

		S C S C S C S C S C S C S C S C S C S C
Reg No.:	Name:	SS CLASSICAL STATES
APJ ABDUL KA	LAM TECHNOLOGICAL UNIVE	RSITY
	egree Regular Examination June 2023	
		CHERUTE
		The same of the sa

Course Code: CST466 Course Name: DATA MINING

Max. Marks: 100 Duration: 3 Hours

	PART A					
		Answer all questions, each carries 3 marks.	Marks			
1	List and explain any two applications of data warehouse.		(3)			
2		Describe the similarities and the differences of star schema and snowflake schema.	(3)			
3		Perform data smoothing by bin means on 3 equi-width bins. Data: [20,24,23,12,15,20,31,29,35,36,32,40]	(3)			
4		What is the purpose of data discretization? List any two data discretization strategies.	(3)			
5		How is Gain Ratio calculated? What is the advantage of Gain Ratio over Information Gain?	(3)			
6		What are the requirements for a good clustering algorithm?	(3)			
7		Describe any three methods to improve the efficiency of Apriori algorithm.	(3)			
8		Write about the bi-directional searching technique for pruning in pincer search	(3)			
		algorithm.	()			
9		Describe the following activities involved in the web usage mining	(3)			
		i) Pre-processing activity ii) Pattern analysis				
10		Differentiate between web content mining and web structure mining.	(3)			
		PART B	. ,			
Answer any one full question from each module, each carries 14 marks. Module I						
11	a)		(7)			
	b)	Illustrate the various stages of data mining in business intelligence with a diagram.	(7)			
10		OR	(1)			
12	a)	Describe different issues in data mining.	(6)			
	b)	Suppose that a data warehouse for a university consists of the following four	(-)			
		dimensions: student, course, semester, and instructor, and two measures: count and avg_grade.				
		(i) Draw a snowflake schema diagram for the data warehouse.	(8)			
		(ii) Starting with the base cuboid, what specific OLAP operations should one	(0)			
		perform in order to list the average grade of CS courses for each University				
		student.				

0400CST466052302

Module II

- 13 a) Suppose that the data for analysis includes the attribute cost price and the values for the data tuples are: 100, 150, 140, 115, 190, 120, 130, 125, 135, 145, 140, 150, 165, 160, 170
 - (i) Use min-max normalization to transform the value of 145 for cost price onto (6) the range [0,1].
 - (ii) Use Z-Score normalization to transform the value 145 for cost price where the standard deviation of cost price is 120.
 - b) Real-world data tend to be incomplete, noisy and inconsistent. What are the various approaches adopted to clean the data?

OR

- 14 a) Describe the various techniques for numerosity reduction in data mining. (8)
 - b) Suppose a group of 12 sales price records has been sorted as follows: 5, 10, 11, 13, 15, 35, 50, 55, 72, 92, 204, 215. Sketch examples of each of the following sampling techniques: SRSWOR, SRSWR, stratified sampling. Use samples of size 5 and the strata "youth," "middle-aged," and "senior."

Module III

15 a) Consider the following dataset for a binary classification problem with class label "yes" and "no".

sl.no	age	income	student	credit_ rating	Class: Risky
1	youth	high	no	fair	no
2	youth	high	no	excellent	no
	middle				
3	aged	high	no	fair	yes
4	senior	medium	no	fair	yes
5	senior	low	yes	fair	yes
6	senior	low	yes	excellent	no
	middle				
7	aged	low	yes	excellent	yes
8	youth	medium	no	fair	no
9	youth	low	yes	fair	yes
10	senior	medium	yes	fair	yes
11	youth	medium	yes	excellent	yes
	middle				
12	aged	medium	no	excellent	yes
	middle		-		
13	aged	high ~	yes	fair	yes
14	senior	medium	no	excellent	no

The above table shows class labeled dataset of customers in a bank. Explain information gain attribute selection measure, and find the information gain of the attribute "age".

b) Explain the concept of DBSCAN algorithm along with its advantages.

(6)

(8)

(8)

(6)

OR

16 a) A database contains 80 records on a particular topic of which 55 are relevant to a certain investigation. A search was conducted on that topic and 50 records were retrieved. Of the 50 records retrieved, 40 were relevant. Construct the confusion matrix and calculate the precision and recall scores for the search.

(7)

0400CST466052302

	b)	r and the state of	(7)			
17	\	Module IV				
17	a)	and the second s				
		TID ITEMS				
		T1 Cake, Bread, Jam				
		T2 Cake, Bread				
		T3 Cake, Coke, Chips	(0)			
		T4 Chips, Coke	(8)			
		T5 Chips, Jam				
		T6 Cake, Coke, Chips				
		Find frequent itemset using Apriori algorithm and generate strong association				
		rules from the dataset.				
	b)	Illustrate the working of Pincer Search Algorithm with an example.	(6)			
10		OR				
18	a)	A database has six transactions. Let min_sup be 3.				
		TID ITEMS				
		T1 $\{f, a, c, d, m, p\}$				
		T2 $\{a, b, c, f, m\}$				
		T3 $\{b, f, j\}$	(8)			
		$T4 \qquad \{b, c, k, p\}$				
		T5 $\{a, f, c, e, p, m\}$				
		T6 $\{f, a, c, d, m, p\}$				
		Find frequent itemsets using FP growth algorithm.				
	b)	Describe the working of dynamic itemset counting technique with suitable				
		example. Specify when to move an itemset from dashed structures to solid	(6)			
		structures.	(0)			
		Module V				
19	a)	List and explain the different data structures used for web usage mining?	(8)			
	b)	Write any three applications of web usage mining and explain.	(6)			
		OR	(-)			
20	a)	Describe different Text retrieval methods. Explain the relationship between text				
		mining, information retrieval and information extraction.	(6)			
V.	b)	Explain the different traversal patterns and discovery methods in web usage data. •(8)				