Reg No.:

Name:

Fourth Semester B.Tech (Minor) Degree Examination June 2023 (2021 Admission

#### **Course Code: CST284**

# Course Name: Mathematics for Machine Learning

Max. Marks: 100

1

2

3

5

6

7

8

9

10

**Duration: 3 Hours** 

## PART A

# (Answer all questions; each question carries 3 marks)

Marks 3

3

3

3

3

3

Let V = {(x, y):  $x \ge 0$ ,  $y \ge 0$ } with standard operations. Is it a vector space? Justify your answer.

Let 
$$x = x = \begin{bmatrix} 1 \\ 2 \\ 3 \end{bmatrix}$$
,  $y = \begin{bmatrix} 3 \\ 2 \\ 9 \end{bmatrix}$  and  $z = \begin{bmatrix} 5 \\ 2 \\ -1 \end{bmatrix}$ . Is the set  $\{x, y, z\}$  linearly

independent?

Let 
$$x = \begin{bmatrix} 0 \\ 6 \\ 4 \end{bmatrix}$$
,  $u = \begin{bmatrix} 2 \\ -1 \\ 1 \end{bmatrix}$ ,  $v = \begin{bmatrix} -1 \\ 2 \\ 4 \end{bmatrix}$ , and  $W = \text{span } \{u, v\}$ . Note that  $u.v = 0$ . Find a 3

vector a in W and a vector b that is orthogonal to W, such that x = a + b

One of the eigen value of the matrix  $A = \begin{bmatrix} 1 & 2 & 4 \\ 3 & 0 & 6 \\ 1 & 1 & p \end{bmatrix}$  is three. Find the sum of

other two eigen value

Find the maximum and minimum values of $f(x) = x^4 - 3x^3 - 1$ on [-2,2].	3
Compute the gradient of the function $f(x,y,z)=x^2e^{yz^2}$	3

Find the mean and variance of the random variable X whose probability density  $\cdot$ function is  $f(x) = \begin{cases} \frac{3}{4}(1-x)(x-3) & 1 \le x \le 3\\ 0 & otherwise \end{cases}$ 

- I roll two dice and observe two numbers X and Y. If Z=X-Y, find the range and 3 PMF of Z.
  - Explain the principle of the gradient descent algorithm with a diagram.
    - An aeroplane can carry a maximum of 250 passengers. A profit of Rs. 1500 is made on each executive class ticket and a profit of Rs. 900 is made on each economy class ticket. The airline reserves at least 30 seats for executive class. However at least 4 times as

many passengers prefer to travel by economy class than by executive class. Formulate LPP in order to maximize the profit for the airline.

PART B

(Answer one full question from each module, each question carries 14 marks)

#### Module -1

11 a) Consider the matrix  $\begin{bmatrix} 1 & 1 \\ -2 & h \end{bmatrix}$  and vector  $b = \binom{k}{1}$ . Find all possible values of h and k so that the matrix equation Ax = b has: (a) no solution. (b) exactly one solution. (c) infinitely many solutions.

b) Find the inverse of  $\begin{bmatrix} 4 & 3 \\ 6 & 5 \end{bmatrix}$ 

a)  
(i) Define 
$$T: P_2 \to \mathbb{R}^3$$
 by:  $T(p) = \begin{bmatrix} p(-1) \\ p(0) \\ p(1) \end{bmatrix}$ . Find the image under T of

p(t) = 5 + 3t

- b) (ii) Show that T is a linear transformation
- c) For each of the following matrices, find the characteristic equation, the 9 eigenvalues and a basis for each eigenspace

$$A = \begin{bmatrix} 7 & 2 \\ -4 & 1 \end{bmatrix}$$
$$B = \begin{bmatrix} 3 & -1 \\ 1 & 3 \end{bmatrix}$$
$$C = \begin{bmatrix} 1 & 0 & 1 \\ 0 & 2 & 0 \\ 1 & 0 & 1 \end{bmatrix}$$

#### Module -2

13 a)

12

For the space  $\mathbb{R}^4$ , let  $w_1 = \begin{bmatrix} 1 \\ 1 \\ 1 \\ 1 \end{bmatrix}$ ,  $w_2 = \begin{bmatrix} 3 \\ 3 \\ -1 \\ -1 \end{bmatrix}$ ,  $y = \begin{bmatrix} 6 \\ 0 \\ 2 \\ 0 \end{bmatrix}$  and let  $W = \text{span}\{w_1, w_2\}$ .

Find a basis for W consisting of two orthogonal vectors

b) Find bases for the four fundamental subspaces associated with the matrix

$$A = \begin{bmatrix} 1 & -3 & 0 \\ 2 & -6 & 4 \\ -3 & 9 & 1 \end{bmatrix}$$

14 a) Compute the singular value decomposition of

$$A = \begin{bmatrix} 2 & 0 & 0 \\ 0 & 2 & 1 \\ 0 & 1 & 2 \\ 0 & 0 & 0 \end{bmatrix}$$

#### Page 2 of 4

10

4

4

2

3

8

b) Diagonalize the following matrix. if possible

	[3	0	0	0]	
	0	2	0	0	
	0	0	2	0	
	1	0	0	3	
Module -3					

# 15 a) Consider the function $f(x, y) = x^3 - xy + y^3$ . Find local maximum, local minimum of f

b) Compute the Jacobian of the coordinate transformation  $x = u^2 - u^4$ , y = uv

16 a) Find the Maclaurin series for  $tan^{-1}x^2$ 

b) .Write out the first five terms of the Taylor series for  $\sqrt{x}$  centered at x = 1.

## Module -4

17 a) An engineering college has made a study of the grade-point averages of graduating engineers, denoted by the random variable Y. It is desired to study these as a function of high school grade-point averages, denoted by the random variable X. The joint probability distribution is shown, where the grade point averages have been combined into live categories for each variable

				X		
	а. -	2.0	2.5	3.0	3.5	4.0
	2.0	0.05	0	0	0	0
	2.5	0.10	0.04	0	0.01	0
Y	3.0	0.02	0.10	0.05	0.10	0.01
	3.5	0	0	0.10	0.20	0.10
	4.0	0	0	0.05	0.02	0.05

Find the marginal distributions for X and Y

- b) Find E(X) and E(Y)
- c) Find  $P(X \ge 3, Y \ge 3)$
- 18 a) The probability that a randomly chosen male has a circulation problem is 0.25.
   Males who have a circulation problem are twice as likely to be smokers as those who do not have a circulation problem. What is the conditional probability that a male has a circulation problem, given that he is a smoker?
  - b) Suppose A. B, and C are mutually independent events with probabilities P(A) = 0.5, P(B) = 0.8, and P(C) = 0.3. Find the probability that at least one of these events occurs

6

8

6

7

7

8

4

7

7

# Module -5

9 a)	Use Method of Steepest Descent to find the minimum of $f(x, y) = 4x^2 - 4xy +$						
	$2y^2$ with initial point $x_0 = (2,3)$						

b) Find the point on the curve  $y^2 = 2x$  which is at a minimum distance from the 6 point(1,4)

- 20 a) Compare and contrast different gradient descent algorithm
  - b) Define Quadratic programming. Discuss the advantages of quadratic 7 programming

7