Reg No.:\_\_\_\_\_\_ Name:\_\_\_\_\_

APJ ABDUL KALAM TECHNOLOGICAL UNIVERSITY

Second Semester B.Tech Degree (R, S) Examination May 2024 (2019 Scheme)

## Course Code: MAT 102

# Course Name: VECTOR CALCULUS, DIFFERENTIAL EQUATIONS AND TRANSFORMS

# (2019 SCHEME)

Max. Marks: 100

Duration: 3 Hours

Marks

(3)

# PART A

If  $\bar{r} = e^{-t} \hat{i} + e^{t} \hat{j}$  is the position vector of a moving particle, find its velocity at t = 0. (3)

Answer all Questions. Each question carries 3 Marks

2 Find a unit vector in the direction in which  $f(x, y) = 4x^3y$  increases most rapidly at (3)

P(-1, 1), and find the rate of change of f at P in that direction.

Evaluate  $\int_c (x^2 - 3y) dx + 3x dy$ , using Green's theorem, C being the circle (3)

 $x^2 + y^2 = 4.$ 

Determine whether the vector field  $\bar{F}(x, y, z) = x^3 \hat{i} + y^3 \hat{j} + z^3 \hat{k}$  is free of sources (3)

and sinks. If it is not, locate them.

5 Find whether the solution set  $\{x \sin x, x \cos x\}$  forms a basis or not. (3)

6 Solve y''' + y'' = 0. (3)

7 Find the Laplace Transform of  $e^{-2t} \sin 5t$ . (3)

8 Find the inverse Laplace Transform of  $\frac{4}{(s+1)^4}$  (3)

Find the Fourier cosine integral of  $f(x) = \begin{cases} 1, & \text{if } |x| < 1, \\ 0, & \text{if } |x| > 1 \end{cases}$  (3)

10 Find the Fourier sine transform of  $e^{-x}$ .

# PART B

# Answer one full question from each module, each question carries 14 marks

#### **Module I**

11 a If  $\bar{r} = x\hat{\imath} + y\hat{\jmath} + z\hat{k}$  and  $r = |\bar{r}|$ , prove that  $\nabla f(r) = \frac{f'(r)}{r}\bar{r}$ . (7)

b Prove that the line integral  $\int_{(-1,2)}^{(0,1)} (3x - y + 1) dx - (x + 6y + 2) dy$  is independent of the path. Also find its value. (7)

OR

#### 0100MAT102052401

Find the work done by the force field  $\bar{F}(x, y, z) = z \hat{i} + x \hat{j} + y \hat{k}$ , where C is the curve  $\bar{r}(t) = \sin t \hat{i} + 4 \sin t \hat{j} + \sin^2 t \hat{k}$ ,  $0 \le t \le \frac{\pi}{2}$ .

b Find  $\nabla \times (\nabla \times \bar{f})$ , if  $\bar{f} = y^2 x \hat{\imath} - 3yz \hat{\jmath} + xz \hat{k}$  (7)

# **Module II**

- 13 a Find the area of the ellipse  $x = a \cos t$ ,  $y = b \sin t$ ;  $0 \le t \le 2\pi$  using line integrals. (7)
  - b Use Stoke's theorem to evaluate  $\int_c \overline{F} \cdot d\overline{r}$ , where  $\overline{F}(x, y, z) = xy \,\hat{\imath} + x^2 \,\hat{\jmath} + z^2 \,\hat{k}$  and (7) C is the intersection of the rectangle  $0 \le x \le 1, 0 \le y \le 3$ , and the plane z = y.

#### OR

- 14 a Using Green's theorem evaluate  $\int_c x \cos y \, dx y \sin x \, dy$  where C is the square with (7) vertices  $(0,0), (0, \pi), (\pi, \pi)$ , and  $(\pi, 0)$ .
  - b If  $\overline{F} = x^3 \hat{\imath} + y^3 \hat{\jmath} + z^3 \hat{k}$ ,  $\sigma$  is the surface of the cylinder bounded by  $x^2 + y^2 = 4$ , z = (7)0, z = 4, find the outward flux of  $\overline{F}$  across  $\sigma$  using Divergence theorem.

## Module III

- 15 a Solve the initial value problem  $(D^2 + 4D + 5)y = 0$ , y(0) = 2, y'(0) = -5. (7)
  - b Solve  $y'' 6y' + 9y = \frac{e^{3x}}{x^2}$ , by the method of variation of parameters. (7)

# OR

- 16 a Solve by the method of undetermined coefficients,  $y'' 4y' + 3y = \sin 3x$ . (7)
  - b Solve  $x^2y'' + 7xy' + 13y = 0$ , y(1) = 0, y'(1) = 2. (7)

## **Module IV**

- 17 a Solve the differential equation using Laplace transform,  $y'' + 2y' + 6y = 6te^{-t}, \text{ given that } y(0) = 2, \ y'(0) = 5.$  (7)
  - b Find the inverse Laplace transform of (i)  $\frac{2s+1}{s^2+2s+5}$  (ii)  $\frac{e^{-s}}{s^2+2s+1}$ . (7)

# OR

- 18 a Using convolution find the inverse Laplace transform of  $\frac{1}{s^2(s^2+a^2)}$ . (7)
  - b Find the Laplace transform of (i)  $sin^2 3t$  (ii)  $t^2$  in  $1 \le t \le 2$ . (7)

## 0100MAT102052401

# Module V

19 a Using Fourier integrals prove that  $\int_0^\infty \frac{\cos\left(\frac{\pi\omega}{2}\right)}{1-\omega^2} \cos \omega x \, d\omega = \begin{cases} \frac{\pi}{2} \cos x, & |x| < \frac{\pi}{2} \\ 0, & |x| > \frac{\pi}{2} \end{cases}$ (7)

b Find the Fourier Cosine transform of  $f(x) = \begin{cases} x, & \text{if } 0 < x < 2, \\ 0, & \text{if } x > 2 \end{cases}$  (7)

#### OR

Find the Fourier sine integrals of  $f(x) = \begin{cases} \pi - x, & \text{if } 0 < x < \pi, \\ 0, & \text{if } x > \pi \end{cases}$  (7)

Find the Fourier sine transform of  $f(x) = \begin{cases} 1, & \text{if } 0 < x < 1, \\ 0, & \text{if } x > 1 \end{cases}$ Hence deduce that  $\int_0^\infty \frac{1 - \cos \omega}{\omega} \sin \left(\frac{\omega}{2}\right) d\omega = \begin{cases} \frac{\pi}{2}, & \text{if } 0 < x < 1, \\ 0, & \text{if } x > 1 \end{cases}$ 

\*\*\*\*