


THIRD SEMESTER B.TECH DEGREE EXAMINATION DECEMBER, 2010

**CS/IT 09 303/PTCS 09.302
DATA STRUCTURES**



Time: Three hours

PART - A

(Answer all questions. Each question carries 2 marks.) (5x2=10 marks)

1. What are the differences between linear and non-linear data structures.
2. What is time complexity to delete a node in singly linked list.
3. Define minimum Spanning Tree.
4. Find the Time complexity of Binary Search.
5. Worst case, what is time complexity of Quick sort.

PART - B


(Answer any four questions. Each question carries 5 marks). (4x5=20 marks)

1. A recursive function f is shown below. What is the value of $f(5)$?

```

Int f(int x)
{ if (x < 2)
  Return 1;
  Else
  Return f(x-1)+(x-2)
}
    
```

2. Convert following infix expression into postfix expression and prefix expression.
 $(A - B) \times C + D / (E - G)$
3. Write down the algorithm for deletion operation performed on the circular queue.
4. A Binary tree T has 9 nodes. The inorder and preorder traversals yield the following sequence of nodes:-
Inorder : EACKFHDBG
Preorder : FAEKCDHGB
Draw Binary Tree
5. Find Minimum spanning Tree of the following graph through KRUSKAL's algorithm



6. The following values are to be stored in a Hash-table:- 25, 42, 96, 101, 102, 162, 197, 201. Use the division method of Hashing with a table size of 11. Use the sequential method of resolving collision.

PART - C

(Answer section (a) or section (b) of each question.)

(4x10=40 marks)

1. (a). Consider the following function:-

Int F (int n, int m)

{ if (n <= 0) or (m <= 0) then return 1 else return

(f(n-1, m) + F(n, m-1));

} Use the recurrence relation.

$$\binom{n}{k} = \binom{n-1}{k} + \binom{n-1}{k-1}$$

To answer the following questions.

Assume that n, m are positive integers.

(i) What is the value of F(n, 2)?

(ii) What is the value of F(n, m)?

1. (b). Explain Big Oh, Big Omega and Big Theta notations. Worst case time complexity of Bubble sort is given by.

$$T(n) = T(n-1) + n$$

Find Big Oh notation representing this time complexity.

2. (a). Write short notes on:

(i) Stack, (ii) Sparse matrices (iii) Circular linked list (iv) Dequeue

2. (b). (i) Write an algorithm to insert an element in doubly linked list.

(ii) Write an algorithm to implement queue using linked list.

3. (a). Obtain AVL tree starting with an empty binary tree on the following sequence.

December, January, April, March, July, August, October, February, November, May, June.

3. (b). Define a B-tree of order m. Build a B-tree by inserting records with following key sequence, into an empty B-tree of order 4:- a, g, f, b, k, d, h, m, j, e, s, i, r, x, c, l, n, t, n, p.

4. (a). Write the recursive algorithm for quicksort. Apply the algorithm for following array of elements. 25, 11, 57, 48, 37, 12, 92, 85. (Show only first partition)

4. (b). Sort the following array of elements through HEAPSORT and merge sort.

25, 37, 48, 11, 12, 92, 57, 85. Show all the steps.