D	-	~		_	7	
r	и	o	es	30	. 1	10.0
-	•••	5	4.000	7	\simeq	-

D II	
Reg No.:	

Name:		

APJ ABDUL KALAM TECHNOLOGICAL UNIVERSITY

B.Tech Degree S5 (R,S) (FT/WP) (S3 PT) Examination November 2025 (2019 Scheme).

Course Code: ECT305 Course Name: ANALOG AND DIGITAL COMMUNICATION

Max. Marks: 100

Duration: 3 Hours

PART A Marks (Answer all questions; each question carries 3 marks) 1 Differentiate between narrow band and wide band FM. 3 2 In an FM system, if the maximum value of deviation is 75KHz and the maximum 3 modulating frequency is 10 KHz, calculate the deviation ratio and bandwidth of the system using Carsons rule. 3 State the conditions required for a random process to be a wide sense stationary 3 process 4 Explain mutual information. 3 5 State and explain sampling theorem. 3 6 What is slope overload distortion? Explain. 3 7 Explain the properties of matched filter. 3 8 Explain the difference between Likelihood and Log likelihood function 3 9 Explain the basic concept of QAM. 3 10 Draw the signal constellation diagram for BPSK 3 PART B (Answer one full question from each module, each question carries 14 marks) Module -1 a) Derive an expression for amplitude modulated carrier and plot its waveform and 8 11 spectrum. b) A carrier signal, $20\cos 2\pi 10^6$ t is modulated by message signal having three 6 frequency 5kHz, 10kHz and 20kHz. The corresponding modulation index are 0.4,0.5,0.6. Sketch the spectrum and determine bandwidth, power and efficiency. 12 a) Explain the block diagram for FM super heterodyne receiver. b) A 100MHz carrier is frequency modulated by a sinusoidal signal of amplitude 20V and frequency 100KHz. The frequency sensitivity of modulator is 25kHz per volt

Determine Δf , β and bandwidth.

(i)

1100ECT305122205


(ii)

13 a) Explain the properties of autocorrelation function of a stationary random process 4 Stationary random process X(t) has the following ACF $R_x(\tau) = \sigma^2 e^{-\mu|\tau|}$ where σ and μ are b) 10 constants. It is passed through a filter whose impulse response is $h(\tau) = ae^{-\alpha\tau} u(\tau)$, where α is a constant and $u(\tau)$ is a step function. Determine the PSD of output random process 14 Show that for a finite variance σ^2 , the Gaussian random variable has the largest 8 differential entropy attainable by any random variable. For the following probability density function 4 $f_X(x) = kx$ $0 \le x \le 2$ $= k(4-x) \quad 2 \le x \le 4$ = 0otherwise (i) Determine the value of k for which $f_X(x)$ is valid pdf (ii) Determine the mean and variance of X Determine the entropy of a source emitting four equally likely symbols. 2 Module -3 15 Explain the block diagram for pulse code modulation 8 a) b) A television signal having a bandwidth of 4.2 MHz is transmitted by a binary PCM system having a number of quantization levels as 512. Determine (i) Codeword length (ii) Transmission bandwidth (iii) Final bit rate 16 5 a) Explain the format of output code in an 8 bit (15 level) μ -Law compander with $\mu = 255$. The input sample in a practical 8-bit (15 level) μ -Law compander is +242. Find the sign, segment value and quantized level. Explain delta modulation with relevant equations and diagrams, also explain its 9 limitations. Module -4 17 a) For a finite energy signal s(t)4

Repeat above calculation when message amplitude is doubled

Module -2

1100ECT305122205




- (a) Sketch the impulse response $h_{opt}(t)$ of optimum filter matched to signal s(t).
- (b) Also, determine the value of the output signal at t = T assuming noise is zero and input is s(t).
- b) Derive the impulse response of duobinary encoder.
- c) Discuss the importance of raised cosine spectrum.

8

4

Two functions $s_1(t)$ and $s_2(t)$ are given in Fig. 14



- (i) Using the Gram-Schmidt orthogonalization procedure, express these functions in terms of orthonormal functions.
- (ii) Sketch the basis functions $\phi_1(t)$ and $\phi_2(t)$.

Module -5

- 19 a) Derive the bit error rate for QPSK.
 - b) Explain the block diagram for QPSK generation.
- 20 a) Draw the block diagram of a BPSK generation and detection system. Explain the system 10 with relevant equations.
 - b) Draw the signal constellation diagram of QAM and explain it briefly.
